



**VIBHUM
LOGISTICS**

Call us 

+91 98988-62320

+91 99133-11100



VIBHUM LOGISTICS



Since
2015

Vibhum Logistics: Your trusted partner in lifting and logistics, delivering reliable solutions for heavy machinery and industrial operations. Elevating possibilities, one project at a time



Vibhum Logistics operates a modern fleet of cranes and aerial work platforms. At Vibhum Logistics, we recognize that while many companies offer similar services, we stand out through our personalized, hands-on approach. By swiftly identifying customer needs, we develop tailored solutions that ensure projects are completed safely and efficiently.

Our experienced team is dedicated to building long-term relationships with clients, and our attention to detail is unmatched. Our company motto, "Excellence in Lifting," is something we live by every day. This dedication also drives us to constantly innovate and improve, making your projects smoother and safer. A testament to our expertise and growth is how we've expanded from just 05 pieces of equipment in 2015 to now boasting a fleet of over 70.



Vibhum Avinash rai

Ceo - Founder



A Brief Story About The Company

ABOUT US

Vibhum Logistics is a leading provider of lifting and logistics solutions, specializing in crane rentals, heavy machinery transportation, and aerial work platforms.

Since 2015, we have been committed to delivering safe, reliable, and efficient services across various industries. Our mission is to help clients achieve their goals through customized solutions, supported by a modern fleet and an experienced team. Guided by our motto, "Excellence in Lifting," we strive to exceed expectations and drive success for every project we undertake.



Our Team at Vibhum Logistics

At Vibhum Logistics, we pride ourselves on having an exceptional maintenance team that ensures our equipment is always in top condition. Our highly skilled technicians are trained to resolve any issues swiftly and efficiently, minimizing downtime and keeping your projects on track. With a focus on safety and precision, our team works tirelessly to maintain our fleet, providing reliable service and reducing operational delays. We are committed to resolving any challenges in the shortest time possible, ensuring seamless operations for our clients.

VISION

To become the most trusted and innovative provider of lifting and logistics solutions, setting industry standards for safety, reliability, and customer satisfaction.



MISSION

01

Provide reliable and safe lifting solutions tailored to meet each client's unique needs.

02

Deliver exceptional customer service through personalized, hands-on support.

03

Continuously innovate and upgrade our equipment to ensure top-quality performance.

04

Build lasting partnerships based on trust, efficiency, and excellence in every project.

SERVICES

Articulated Boom Lift

An articulated boom lift features multiple sections that bend, allowing workers to access hard-to-reach areas. This lift is ideal for tasks requiring flexibility, such as maintenance, repairs, or installations in confined spaces or around obstacles.



Telescopic Boom Lift

With its straight, extendable boom, a telescopic boom lift provides a long reach, making it perfect for high-elevation tasks like construction, maintenance of tall structures, and industrial work that requires precise positioning.

Scissor Lift

Scissor lifts are designed for vertical lifting, featuring a crisscrossing metal support system that extends upward. They are commonly used for tasks such as electrical work, painting, and other activities that require stable, vertical access at moderate heights.



Telescopic Crane

Telescopic cranes are equipped with a boom that can extend and retract, providing greater reach and flexibility. They are ideal for lifting and moving heavy loads in construction, shipyards, and infrastructure projects, offering precise control in tight spaces.



Crawler Crane

Crawler cranes are built with tracks instead of wheels, giving them excellent stability and mobility on uneven or soft terrain. They are highly capable of handling heavy loads in challenging environments like construction sites, energy plants, and infrastructure development.

Trailers

Trailers offer efficient transportation solutions for moving heavy equipment, machinery, or materials. They are essential for logistics operations, helping to streamline the transport of goods between locations safely and reliably.



Hydra

Hydra cranes are versatile, multipurpose cranes commonly used in construction, manufacturing, and logistics. They are capable of lifting and transporting loads, making them ideal for industrial material handling, vehicle recovery, and heavy equipment movement.



Truck-Mounted Boom Lift


Mounted on a truck, this boom lift provides high mobility and quick access to elevated work sites. It's often used for roadwork, maintenance of streetlights, signage installation, and building repairs, where quick setup and repositioning are essential.







MACHINE SPECIFICATIONS

	JLG 450 AJ
Elevated Platform Height (M)	13.72
Horizontal Outreach (M)	7.47
Overall Width (M)	2.08
Stowed Length (M)	6.65
Stowed Height (M)	2.26
Platform Size (M x M)	0.76 x 1.83
Ground clearance (CM)	36
Platform Capacity (Kg)	227
Weight (Kg)	7484
Drive Speed (Km/Hr)	5.6






	JLG 600 A
Elevated Platform Height (M)	18.29
Horizontal Outreach (M)	12.07
Overall Width (M)	2.44
Stowed Length (M)	8.05
Stowed Height (M)	2.54
Platform Size (M x M)	0.19 x 2.44
Ground clearance (CM)	30
Platform Capacity (Kg)	227
Weight (Kg)	10047
Drive Speed (Km/Hr)	6.8





	JLG 800 AJ
Elevated Platform Height (M)	24.38
Horizontal Outreach (M)	15.8
Overall Width (M)	2.44
Stowed Length (M)	11.25
Stowed Height (M)	3
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	30
Platform Capacity (Kg)	227
Weight (Kg)	15558
Drive Speed (Km/Hr)	4.8

	JLG 860 SJ
Elevated Platform Height (M)	27.2
Horizontal Outreach (M)	22.86
Overall Width (M)	2.49
Stowed Length (M)	1.83
Stowed Height (M)	3.05
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	30
Platform Capacity (Kg)	227
Weight (Kg)	17200
Drive Speed (Km/Hr)	5.6




	JLG 1200 SJP
Elevated Platform Height (M)	36.58
Horizontal Outreach (M)	22.86
Overall Width (M)	2.49
Stowed Length (M)	10.64
Stowed Height (M)	3.05
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	30
Platform Capacity (Kg)	227
Weight (Kg)	18552
Drive Speed (Km/Hr)	4.8






	JLG 1250 AJ
Elevated Platform Height (M)	39.3
Horizontal Outreach (M)	19.25
Overall Width (M)	3.81
Stowed Length (M)	14.48
Stowed Height (M)	3.05
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	30
Platform Capacity (Kg)	227
Weight (Kg)	19958
Drive Speed (Km/Hr)	5.2


	Genie S-125
Elevated Platform Height (M)	40.15
Horizontal Outreach (M)	24.38
Overall Width (M)	2.46
Stowed Length (M)	14.25
Stowed Height (M)	3.07
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	38
Platform Capacity (Kg)	227
Weight (Kg)	20248
Drive Speed (Km/Hr)	4.8







JLG 1350 SJP	
Elevated Platform Height (M)	41.15
Horizontal Outreach (M)	24.39
Overall Width (M)	2.49
Stowed Length (M)	11.86
Stowed Height (M)	3.05
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	30
Platform Capacity (Kg)	227
Weight (Kg)	20411
Drive Speed (Km/HR)	4.8

Genie Z-135/70	
Elevated Platform Height (M)	41.15
Horizontal Outreach (M)	21.26
Overall Width (M)	2.46
Stowed Length (M)	12.93
Stowed Height (M)	3.07
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	51
Platform Capacity (Kg)	227
Weight (Kg)	20366
Drive Speed (Km/HR)	4.8







	Genie SX-180
Elevated Platform Height (M)	54.86
Horizontal Outreach (M)	24.38
Overall Width (M)	2.49
Stowed Length (M)	14.33
Stowed Height (M)	3.05
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	38
Platform Capacity (Kg)	340
Weight (Kg)	25108
Drive Speed (Km/Hr)	3.7



	JLG 1850 SJ
Elevated Platform Height (M)	56.56
Horizontal Outreach (M)	24.38
Overall Width (M)	2.49
Stowed Length (M)	14.57
Stowed Height (M)	3.05
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	30
Platform Capacity (Kg)	227
Weight (Kg)	27170
Drive Speed (Km/Hr)	4.5



	JLG 1500 SJ
Elevated Platform Height (M)	45.7
Horizontal Outreach (M)	24.38
Overall Width (M)	2.49
Stowed Length (M)	11.45
Stowed Height (M)	3.05
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	30
Platform Capacity (Kg)	227
Weight (Kg)	21773
Drive Speed (Km/Hr)	4.8



	JLG 150 HAX
Elevated Platform Height (M)	45.72
Horizontal Outreach (M)	24.16
Overall Width (M)	3.51
Stowed Length (M)	12.01
Stowed Height (M)	4.27
Platform Size (M x M)	0.91 x 2.44
Ground clearance (CM)	28
Platform Capacity (Kg)	227
Weight (Kg)	26354
Drive Speed (Km/Hr)	4.8

SAFETY AND AWARENESS AT VIBHUM LOGISTICS

Proper Equipment Handling

- All operators are trained to handle machinery safely, ensuring equipment is used correctly to prevent accidents and damage.

Routine Inspections

- Regular equipment inspections are conducted to detect and address potential issues, ensuring optimal performance and safety on site.

Personal Protective Equipment (PPE)

- All personnel are required to wear PPE, including helmets, gloves, and safety harnesses, to minimize risks during operations.

Site Hazard Awareness

- Workers are trained to identify and mitigate potential site hazards, such as unstable ground or overhead obstacles, ensuring a safer work environment.



Clear Communication

- Effective communication protocols are in place, including hand signals and radios, ensuring smooth coordination between teams during lifting operations.

Load Assessment

- Before any lifting task, the weight and stability of the load are carefully assessed to ensure the right equipment is used and that the lift is conducted safely.

Emergency Preparedness

- All staff are trained in emergency response procedures, enabling quick and effective action in the event of an accident or equipment malfunction.



FLEET

1. Articulated Boom Lifts (60 ft - 150 ft)
2. Telescopic Boom Lifts (60 ft - 180 ft)
3. Scissor Lifts (15 ft - 50 ft)
4. Telescopic Cranes (Up to 200 ton)
5. Crawler Cranes (Up to 250 ton)
6. Hydra & Farana (12 Qty)
7. Trailers (20 Qty)
8. Forklifts (1 to 15 tons capacity)




OUR CLIENTS



**AND MANY
MORE**

GALLERY







**VIBHUM
LOGISTICS**

Call us 
+91 98988-62320
+91 99133-11100



THANK YOU

 **Address**

514, Swagat Business Hub Ichhapore Char
Rasta Surat, Gujarat - 394510

 **Phone Number**

+91 98988-862320, +91 99133-11100

 **Email Address**

info@vibhumlogistics.com

 **Website**

www.vibhumlogistics.com